

FLOODED	MODEL	BCI	20 HR	CCA @ -18°C (0°F)	MCA @ 0°C (32°F)	DIMENSIONS	WEIGHT
2 VOLT						L x W x H (incl terminal)	
SERIES 4000	S-1450	LI6	1124	2729	3411	31.75cm x 18.10cm x 43.18cm	54.43 kg
SERIES 4000	S-1660	LI6	1284	3119	3898	31.75cm x 18.10cm x 43.18cm	57.61 kg
SERIES 4000	S-1860	LI6	1445	3378	4223	31.75cm x 18.10cm x 43.18cm	59.42 kg
SERIES 4500	S-1400EX	LI6	1000	2438	3048	31.75cm x 18.10cm x 43.18cm	57.15 kg
SERIES 5000	2 KS 33P	SPEC	1766	4406	5508	39.21cm x 21.11cm x 63.02cm	94.35 kg
SERIES 5000	2 OS 33P	SPEC	1880	4536	5670	39.21cm x 21.11cm x 63.02cm	100.70 kg
SERIES 5000	2 YS 27P	SPEC	2106	4975	6219	35.56cm x 22.86cm x 80.33cm	111.58 kg
SERIES 5000	2 YS 31P	SPEC	2430	5741	7176	39.37cm x 22.86cm x 80.33cm	129.27 kg
SERIES 5000	2 YS 62P	SPEC	4860	11482	14352	69.53cm x 22.86cm x 80.33cm	258.55 kg
4 VOLT						L x W x H (incl terminal)	
SERIES 5000	4 CS 17P	SPEC	546	1393	1742	36.51cm x 20.96cm x 46.36cm	58.06 kg
SERIES 5000	4 KS 21P	SPEC	1104	2754	3443	40.01cm x 23.81cm x 62.87cm	121.11 kg
SERIES 5000	4 KS 25P	SPEC	1350	3305	4131	40.01cm x 26.99cm x 62.87cm	142.88 kg
SERIES 5000	4 KS 27P	SPEC	1460	3580	4475	40.01cm x 26.99cm x 62.87cm	153.77 kg
6 VOLT						L x W x H (incl terminal)	
SERIES 4000	EHW 210	GC2	210	547	684	25.88cm x 18.10cm x 27.94cm	28.12 kg
SERIES 4000	EHW 230	GC2	230	625	781	25.88cm x 18.10cm x 27.94cm	30.84 kg
SERIES 4000	EIW 250	GC2H	250	710	888	25.88cm x 18.10cm x 28.96cm	35.83 kg
SERIES 4000	EIGH 262	SPEC	260	610	763	31.12cm x 18.10cm x 28.58cm	40.82 kg
SERIES 4000	NS 305	SPEC	300	738	923	31.12cm x 18.10cm x 36.20cm	49.44 kg
SERIES 4000	CH 375	LI6	375	847	1058	31.75cm x 18.10cm x 42.55cm	51.26 kg
SERIES 4000	S-480	LI6	375	910	1137	31.75cm x 18.10cm x 42.55cm	51.26 kg
SERIES 4000	S-550	LI6	428	1040	1299	31.75cm x 18.10cm x 42.55cm	55.79 kg
SERIES 4000	S-605	LI6	468	1169	1462	31.75cm x 18.10cm x 42.55cm	56.70 kg
SERIES 4000	6 HHG 31P	SPEC	344	1337	1671	52.71cm x 20.32cm x 30.16cm	56.70 kg
SERIES 4000	6 EHG 31P	SPEC	410	1549	1936	52.71cm x 20.32cm x 32.39cm	60.33 kg
SERIES 4000	6 HHG 15DP	SPEC	550	1337	1671	52.71cm x 27.90cm x 25.40cm	78.01 kg
SERIES 4500	S-500EX	LI6	357	871	1088	31.75cm x 18.10cm x 42.55cm	59.65 kg
SERIES 5000	6 CS 17P	SPEC	546	1393	1742	55.88cm x 20.96cm x 46.36cm	100.24 kg
SERIES 5000	6 CS 21P	SPEC	683	1742	2177	55.88cm x 24.77cm x 46.36cm	122.92 kg
SERIES 5000	6 CS 25P	SPEC	820	2090	2612	55.88cm x 28.58cm x 46.36cm	144.24 kg
SERIES 5000	6 CS 27P	SPEC	893	2264	2830	55.88cm x 28.58cm x 46.36cm	155.13 kg

FLOODED	MODEL	BCI	20 HR	CCA @ -18°C (0°F)	MCA @ 0°C (32°F)	DIMENSIONS	WEIGHT
8 VOLT						L x W x H (incl terminal)	
SERIES 4000	8 HHG 21P	SPEC	230	1033	1291	31.12cm x 18.73cm x 28.26cm	53.52 kg
SERIES 4000	8 HHG 25P	SPEC	275	1239	1549	31.75cm x 18.73cm x 29.21cm	58.97 kg
SERIES 4000	8 M 23P	SPEC	240	891	1114	68.58cm x 18.42cm x 30.48cm	57.61 kg
SERIES 4000	8 HHG 29P	SPEC	300	1446	1807	68.58cm x 18.42cm x 30.48cm	68.04 kg
SERIES 4000	8 HHG 31P	SPEC	344	1337	1671	68.58cm x 20.32cm x 30.16cm	75.75 kg
SERIES 4000	8 EHG 31P	SPEC	410	1549	1936	68.58cm x 20.32cm x 32.39cm	80.74 kg
SERIES 5000	8 CS 17P	SPEC	546	1393	1742	71.76cm x 20.96cm x 46.36cm	133.36 kg
SERIES 5000	8 CS 25P	SPEC	820	2090	2612	71.76cm x 20.96cm x 46.36cm	192.32 kg
12 VOLT						L x W x H (incl terminal)	
SERIES 4000	24 M 85	24	85	550	690	27.94cm x 17.10cm x 23.80cm	19.05 kg
SERIES 4000	27 M 105	27	105	660	825	32.10cm x 17.10cm x 23.80cm	24.49 kg
SERIES 4000	30 H 125	30H	125	535	668	34.29cm x 17.15cm x 24.13cm	33.11 kg
SERIES 4000	T12 136	COMP 125	136	405	506	34.29cm x 17.15cm x 29.53cm	40.82 kg
SERIES 4000	12 HHG 185P	4D MOD	185	713	891	52.71cm x 22.23cm x 25.40cm	55.34 kg
SERIES 4000	T12 250	92I	210	648	810	39.05cm x 17.78cm x 36.51cm	59.87 kg
SERIES 4000	HT 8D	8D	221	972	1215	52.71cm x 27.94cm x 25.40cm	74.39 kg
SERIES 4000	12 HHG 8D	8D	275	1069	1337	52.71cm x 27.94cm x 25.40cm	78.02 kg
SERIES 4000	12 EHG 210P	4DH	210	778	972	52.71cm x 22.23cm x 31.43cm	62.60 kg
SERIES 4000	12 HHG 325P	8D BOX	325	1069	1337	55.25cm x 33.66cm x 28.73cm	90.72 kg
SERIES 4000	12 EHG 375P	8D BOX	375	1166	1458	55.25cm x 33.66cm x 30.96cm	104.33 kg
SERIES 4000	12 MD 325P	2 x 27	325	1069	1337	46.99cm x 38.26cm x 28.10cm	90.72 kg
SERIES 4000	12 MD 375P	2 x 27H	375	1166	1458	46.99cm x 38.26cm x 31.91cm	104.33 kg
SERIES 5000	12 CS 11P	SPEC	357	871	1088	55.88cm x 28.58cm x 46.36cm	123.38 kg

FLOODED	MODEL	BCI	20 HR	CCA @ -18°C (0°F)	MCA @ 0°C (32°F)	DIMENSIONS	WEIGHT
2 VOLT						L x W x H (incl terminal)	
SERIES 4000	S-1450	LI6	1124	2729	3411	12 1/2" x 7 1/8" x 17"	120 Lbs
SERIES 4000	S-1660	LI6	1284	3119	3898	12 1/2" x 7 1/8" x 17"	127 Lbs
SERIES 4000	S-1860	LI6	1445	3378	4223	12 1/2" x 7 1/8" x 17"	131 Lbs
SERIES 4500	S-1400EX	LI6	1000	2438	3048	12 1/2" x 7 1/8" x 17"	126 Lbs
SERIES 5000	2 KS 33P	SPEC	1766	4406	5508	15 7/16" x 8 5/16" x 24 13/16"	208 Lbs
SERIES 5000	2 OS 33P	SPEC	1880	4536	5670	15 7/16" x 8 5/16" x 24 13/16"	222 Lbs
SERIES 5000	2 YS 27P	SPEC	2106	4975	6219	14" x 9" x 31 5/8"	246 Lbs
SERIES 5000	2 YS 31P	SPEC	2430	5741	7176	15 1/2" x 9" x 31 5/8"	285 Lbs
SERIES 5000	2 YS 62P	SPEC	4860	11482	14352	27 3/8" x 9" x 31 5/8"	570 Lbs
4 VOLT						L x W x H (incl terminal)	
SERIES 5000	4 CS 17P	SPEC	546	1393	1742	14 3/8" x 8 1/4" x 18 1/4"	128 Lbs
SERIES 5000	4 KS 21P	SPEC	1104	2754	3443	15 3/4" x 9 3/8" x 24 3/4"	267 Lbs
SERIES 5000	4 KS 25P	SPEC	1350	3305	4131	15 3/4" x 10 5/8" x 24 3/4"	315 Lbs
SERIES 5000	4 KS 27P	SPEC	1460	3580	4475	15 3/4" x 10 5/8" x 24 3/4"	339 Lbs
6 VOLT						L x W x H (incl terminal)	
SERIES 4000	EHW 210	GC2	210	547	684	10 3/16" x 7 1/8" x 11"	62 Lbs
SERIES 4000	EHW 230	GC2	230	625	781	10 3/16" x 7 1/8" x 11"	68 Lbs
SERIES 4000	EIW 250	GC2H	250	710	888	10 3/16" x 7 1/8" x 11 2/5"	79 Lbs
SERIES 4000	EIGH 262	SPEC	260	610	763	12 1/4" x 7 1/8" x 11 1/4"	90 Lbs
SERIES 4000	NS 305	SPEC	300	738	923	12 1/2" x 7 1/8" x 16 3/4"	109 Lbs
SERIES 4000	CH 375	LI6	375	847	1058	12 1/2" x 7 1/8" x 16 3/4"	113 Lbs
SERIES 4000	S-480	LI6	375	910	1137	12 1/2" x 7 1/8" x 16 3/4"	113 Lbs
SERIES 4000	S-550	LI6	428	1040	1299	12 1/2" x 7 1/8" x 16 3/4"	123 Lbs
SERIES 4000	S-605	LI6	468	1169	1462	12 1/2" x 7 1/8" x 16 3/4"	125 Lbs
SERIES 4000	6 HHG 31P	SPEC	344	1337	1671	20 3/4" x 8" x 11 7/8"	125 Lbs
SERIES 4000	6 EHG 31P	SPEC	410	1549	1936	20 3/4" x 8" x 12 3/4"	133 Lbs
SERIES 4000	6 HHG 15DP	SPEC	550	1337	1671	20 3/4" x 11" x 10"	172 Lbs
SERIES 4500	S-500EX	LI6	357	871	1088	12 1/2" x 7 1/8" x 16 3/4"	114 Lbs
SERIES 5000	6 CS 17P	SPEC	546	1393	1742	22" x 8 1/4" x 18 1/4"	221 Lbs
SERIES 5000	6 CS 21P	SPEC	683	1742	2177	22" x 9 3/4" x 18 1/4"	271 Lbs
SERIES 5000	6 CS 25P	SPEC	820	2090	2612	22" x 11 1/4" x 18 1/4"	318 Lbs
SERIES 5000	6 CS 27P	SPEC	893	2264	2830	22" x 11 1/4" x 18 1/4"	342 Lbs

FLOODED	MODEL	BCI	20 HR	CCA @ -18°C (0°F)	MCA @ 0°C (32°F)	DIMENSIONS	WEIGHT
8VOLT						L x W x H (incl terminal)	
SERIES 4000	8 HHG 21P	SPEC	230	1033	1291	27" x 8" x 11 7/8"	167 Lbs
SERIES 4000	8 HHG 25P	SPEC	275	1239	1549	27" x 8" x 12 3/4"	178 Lbs
SERIES 4000	8 M 23P	SPEC	240	891	1114	27" x 7 1/4" x 12"	127 Lbs
SERIES 4000	8 HHG 29P	SPEC	300	1446	1807	27" x 7 1/4" x 12"	150 Lbs
SERIES 4000	8 HHG 31P	SPEC	344	1337	1671	27" x 8" x 11 7/8"	167 Lbs
SERIES 4000	8 EHG 31P	SPEC	410	1549	1936	27" x 8" x 12 3/4"	178 Lbs
SERIES 5000	8 CS 17P	SPEC	546	1393	1742	28 1/4" x 8 1/4" x 18 1/4"	294 Lbs
SERIES 5000	8 CS 25P	SPEC	820	2090	2612	28 1/4" x 11 1/4" x 18 1/4"	424 Lbs
12VOLT						L x W x H (incl terminal)	
SERIES 4000	24 M 85	24	85	550	690	11" x 6 3/4" x 9 3/8"	46 Lbs
SERIES 4000	27 M 105	27	105	660	825	12 5/8" x 6 3/4" x 9 3/8"	54 Lbs
SERIES 4000	30 H 125	30H	125	535	668	13 1/2" x 6 3/4" x 9 1/2"	60 Lbs
SERIES 4000	T12 136	COMP 125	136	405	506	13 1/2" x 6 3/4" x 11 5/8"	90 Lbs
SERIES 4000	12 HHG 185P	4D MOD	185	713	891	20 3/4" x 8 3/4" x 10"	122 Lbs
SERIES 4000	T12 250	921	210	648	810	15 3/8" x 7" x 14 3/8"	132 Lbs
SERIES 4000	HT 8D	8D	221	972	1215	20 3/4" x 11" x 10"	164 Lbs
SERIES 4000	12 HHG 8D	8D	275	1069	1337	20 3/4" x 11" x 10"	172 Lbs
SERIES 4000	12 EHG 210P	4DH	210	778	972	20 3/4" x 8 3/4" x 12 3/8"	138 Lbs
SERIES 4000	12 HHG 325P	8D BOX	325	1069	1337	21 3/4" x 13 1/4" x 11 5/6"	200 Lbs
SERIES 4000	12 EHG 375P	8D BOX	375	1166	1458	21 3/4" x 13 1/4" x 12 3/16"	230 Lbs
SERIES 4000	12 MD 325P	2 x 27	325	1069	1337	18 1/2" x 15 1/16" x 11 1/16"	200 Lbs
SERIES 4000	12 MD 375P	2 x 27H	375	1166	1458	18 1/2" x 15 1/16" x 12 9/16"	230 Lbs
SERIES 5000	12 CS 11P	SPEC	357	871	1088	22" x 11 1/4" x 18 1/4"	272 Lbs